



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/808,982	03/25/2004	Carl A. Caspers	55508-296809	7038
25764 7590 11/13/2008 FAEGRE & BENSON LLP PATENT DOCKETING 2200 WELLS FARGO CENTER 90 SOUTH SEVENTH STREET MINNEAPOLIS, MN 55402-3901				
EXAMINER				
WILLSE, DAVID H				
ART UNIT		PAPER NUMBER		
3738				
MAIL DATE		DELIVERY MODE		
11/13/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/808,982

Applicant(s)

CASPER, CARL A.

Examiner

David H. Willse

Art Unit

3738

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 December 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 21-38 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 21-38 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-854)
Paper No(s)/Mail Date 12-10-07 (2 pages).
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

Claims 21-34 and 36-38 are objected to because of the following informalities: In claim 21, line 4, "the re" should be replaced by --there--. In claim 36, line 5 lacks proper syntax.

Appropriate correction is required.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 21-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Takidani, JP 7-155343 A, in view of Fishman et al., US 5,007,937. Takidani discloses all the elements of claim 21 and others except for the flexible liner. However, most amputees wear stump socks or liners (e.g., Fishman et al.: column 1, line 49), and such an addition to the prosthetic leg configuration of Takidani would have been immediately obvious to the ordinary prosthetist or amputee "for increased comfort, perspiration absorption, and reduced friction" (Fishman et al.: column 1, lines 51-52). To modify such a sock or liner so as to include an impregnated annular seal 12 (Figure 1 of Fishman et al.) would likewise have been obvious in order to reach and maintain the desired level of suction or pressurization, with further motivation having been provided by the statements of Fishman et al. at column 1, lines 61-62, and column 4, lines 18-25 and 50-53. Regarding claims 24 and 25, a vacuum valve connected to the socket 1 would have been obvious in order to enable the pump 2 and operating switch 4 to be powered down during extended periods of prosthetic leg use. Regarding claims 30 and 35, a battery for the power source would have been obvious from the portability of the system.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dave Willse, whose telephone number is 571-272-4762 and who is generally available Monday, Tuesday, and Thursday. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott, can be reached on 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

**/David H. Willse/
Primary Examiner
Art Unit 3738**